Contents

The Journal of Clinical Investigation
January 1989, Volume 83, Number 1

Regular Articles

Rhinovirus upper respiratory infection increases airway hyperreactivity and late asthmatic reactions. *R. F. Lemanske, Jr., E. C. Dick, C. A. Swenson, R. F. Vrtis, and W. W. Busse* 1

Identification of a single nucleotide change in the hypoxanthine-guanine phosphoribosyltransferase gene ($HPRT_{Yale}$) responsible for Lesch-Nyhan syndrome. *S. Fujimori, B. L. Davidson, W. N. Kelley, and T. D. Palella* 11

Protective immunity in bancroftian filariasis. Selective recognition of a 43-kD larval stage antigen by infection-free individuals in an endemic area. *D. O. Freedman, T. B. Nutman, and E. A. Ottesen* 14

Insulin administration alters gonadal steroid metabolism independent of changes in gonadotropin secretion in insulin-resistant women with the polycystic ovary syndrome. *A. Dunaif and M. Graf* 23

Biliary copper excretion by hepatocyte lysosomes in the rat. Major excretory pathway in experimental copper overload. *J. B. Gross, Jr., B. M. Myers, L. J. Kost, S. M. Kuntz, and N. F. LaRusso* 30

Effects of combined estrogen and progestin administration on plasma lipoprotein metabolism in postmenopausal women. *B. M. Wolfe and M. W. Huff* 40

Increased secretion of atrial natriuretic polypeptide from the left ventricle in patients with dilated cardiomyopathy. *H. Yasue, K. Obata, K. Okumura, M. Kurose, H. Ogawa, K. Matsuyama, M. Jougasaki, Y. Saito, K. Nakao, and H. Imura* 46

Splanchnic and renal exchange of infused fructose in insulin-deficient type 1 diabetic patients and healthy controls. *O. Björkman, R. Gunnarsson, E. Hagström, P. Felig, and J. Wahren* 52

Insulin-like growth factor I mediates selective anabolic effects of parathyroid hormone in bone cultures. *E. Canalis, M. Centrella, W. Burch, and T. L. McCarthy* . . 60

Reduction of dietary phosphorus absorption by phosphorus binders. A theoretical, in vitro, and in vivo study. *M. S. Sheikh, J. A. Maguire, M. Emmett, C. A. Santa Ana, M. J. Nicar, L. R. Schiller, and J. S. Fordtran* 66

Lipopolysaccharide priming of human neutrophils for an enhanced respiratory burst. Role of intracellular free calcium. *J. R. Forehand, M. J. Pabst, W. A. Phillips, and R. B. Johnston, Jr.* 74

Vasopressin V_1 receptors on the principal cells of the rabbit cortical collecting tubule. Stimulation of cytosolic free calcium and inositol phosphate production via coupling to a pertussis toxin substrate. *M. A. Burnatowska-Hledin and W. S. Spielman* 84

Differential regulation of protein kinase C and (Na,K)-adenosine triphosphatase activities by elevated glucose levels in retinal capillary endothelial cells. *T.-S. Lee, L. C. MacGregor, S. J. Fluharty, and G. L. King* 90

Complementary DNA probes for the Duchenne muscular dystrophy locus demonstrate a previously undetectable deletion in a patient with dystrophic myopathy, glycerol kinase deficiency, and congenital adrenal hypoplasia. *E. R. B. McCabe, J. Towbin, J. Chamberlain, L. Baumbach, J. Witkowski, G. J. B. van Ommen, M. Koenig, L. M. Kunkel, and W. K. Seltzer* 95

Tumor-promoting phorbol esters support the in vitro proliferation of murine pluripotent hematopoietic stem cells. *J. L. Spivak, B. B. Hogans, and R. K. Stuart* 100

Responsiveness of superficial hand veins to phenylephrine in essential hypertension. Alpha adrenergic blockade during prazosin therapy. *H.-G. Eichler, G. A. Ford, T. F. Blaschke, A. Swislocki, and B. B. Hoffman* 108

Adaptation of the distal convoluted tubule of the rat. Structural and functional effects of dietary salt intake and chronic diuretic infusion. *D. H. Ellison, H. Velázquez, and F. S. Wright* 113

Identification of persistent defects in insulin receptor structure and function in capillary endothelial cells from diabetic rats. *C. F. Kwok, B. J. Goldstein, D. Muller-Wieland, T.-S. Lee, C. R. Kahn, and G. L. King* 127

Changes of genetic apolipoprotein phenotypes caused by liver transplantation. Implications for apolipoprotein synthesis. *H. G. Kraft, H. J. Menzel, F. Hoppichler, W. Vogel, and G. Utermann* 137

Thyroxine transport and distribution in Nagase analbuminemic rats. *C. M. Mendel, R. R. Cavalieri, L. A. Gavin, T. Pettersson, and M. Inoue* 143

Parathyroid hormone and a lipopolysaccharide induce murine osteoblast-like cells to secrete a cytokine indistinguishable from granulocyte-macrophage colony-stimulating factor. *M. C. Horowitz, D. L. Coleman, P. M. Flood, T. S. Kupper, and R. L. Jilka* 149

Inhibition of human endothelial cell proliferation in vitro and neovascularization in vivo by D-penicillamine. *T. Matsubara, R. Saura, K. Hirohata, and M. Ziff* 158

Unequal decrease in bone density of lumbar spine and ultradistal radius in Colles' and vertebral fracture syndromes. *R. Eastell, H. W. Wahner, W. M. O'Fallon, P. C. Amadio, L. J. Melton III, and B. L. Riggs* 168

Mast cell tryptase causes airway smooth muscle hyperresponsiveness in dogs. *K. Sekizawa, G. H. Caughey, S. C. Lazarus, W. M. Gold, and J. A. Nadel* 175

Human autoantibodies to poly(adenosine diphosphate-ribose) polymerase recognize cross-reactive epitopes associated with the catalytic site of the enzyme. *H. Yamanaka, E. H. Willis, and D. A. Carson* 180

Isolation of proteins related to the Rh polypeptides from nonhuman erythrocytes. *A. M. Saboori, B. M. Denker, and P. Agre* 187

Muscle cell differentiation is associated with increased insulin receptor biosynthesis and messenger RNA levels. *A. Brunetti, B. A. Maddux, K. Y. Wong, and I. D. Goldfine* 192

Regulation of glucose transporter-specific mRNA levels in rat adipose cells with fasting and refeeding. Implications for in vivo control of glucose transporter number. *B. B. Kahn, S. W. Cushman, and J. S. Flier* 199

Role of invading leukocytes in enhanced atrial eicosanoid production following rabbit left ventricular myocardial infarction. *M. S. Freed, P. Needleman, C. G. Dunkel, J. E. Saffitz, and A. S. Evers* 205

Interferons modulate the expression of hormone receptors on the surface of murine melanoma cells. *K. Kameyama, S. Tanaka, Y. Ishida, and V. J. Hearing* 213

Inhibition of activated protein C by platelets. *S. M. Jane, C. A. Mitchell, L. Hau, and H. H. Salem* 222

Cytoplasmic pH regulation and chloride/bicarbonate exchange in avian osteoclasts. *A. Teti, H. C. Blair, S. L. Teitelbaum, A. J. Kahn, C. Koziol, J. Konsek, A. Zambonin-Zallone, and P. H. Schlesinger* 227

Bacterial toxins affect early events of T lymphocyte activation. *S. J. Stewart, V. Prpic, J. A. Johns, F. S. Powers, S. E. Graber, J. T. Forbes, and J. H. Exton* . . . 234

Role of endotoxemia in cardiovascular dysfunction and mortality. *Escherichia coli* and *Staphylococcus aureus* challenges in a canine model of human septic shock. *C. Natanson, R. L. Danner, R. J. Elin, J. M. Hosseini, K. W. Peart, S. M. Banks, T. J. MacVittie, R. I. Walker, and J. E. Parrillo* 243

Studies on phagocytosis in patients with acute bacterial infections. *H. H. Simms, M. M. Frank, T. C. Quinn, S. Holland, and T. A. Gaither* 252

Duodenal iron proteins in idiopathic hemochromatosis. *P. Whittaker, B. S. Skikne, A. M. Covell, C. Flowers, A. Cooke, S. R. Lynch, and J. D. Cook* 261

Desensitization to parathyroid hormone in renal cells from aged rats is associated with alterations in G-protein activity. *H. Hanai, C. T. Liang, L. Cheng, and B. Sacktor* 268

Use of anti-HLA antibodies to mask major histocompatibility complex gene products on tumor cells can enhance susceptibility of these cells to lysis by natural killer cells. *P. I. Lobo and C. E. Spencer* 278

Fibrinogen-independent platelet adhesion and thrombus formation on subendothelium mediated by glycoprotein IIb-IIIa complex at high shear rate. *H. J. Weiss, J. Hawiger, Z. M. Ruggeri, V. T. Turitto, P. Thiagarajan, and T. Hoffmann* 288

Augmented expression of atrial natriuretic polypeptide gene in ventricle of human failing heart. *Y. Saito, K. Nakao, H. Arai, K. Nishimura, K. Okumura, K. Obata, G. Takemura, H. Fujiwara, A. Sugawara, T. Yamada, H. Itoh, M. Mukoyama, K. Hosoda, C. Kawai, T. Ban, H. Yasue, and H. Imura* 298

Antagonism of thyroid hormone action by amiodarone in rat pituitary tumor cells. *M. F. Norman and T. N. Lavin* 306

Rapid Publications

Genotypes for aldehyde dehydrogenase deficiency and alcohol sensitivity. The inactive *ALDH2*^{2} allele is dominant. *D. W. Crabb, H. J. Edenberg, W. F. Bosron, and T.-K. Li* 314

Integrated cardiac, renal, and endocrine actions of endothelin. *W. L. Miller, M. M. Redfield, and J. C. Burnett, Jr.* 317

Novel tool for the study of cholecystokinin-stimulated pancreatic enzyme secretion. *H. Y. Gaisano, U. G. Klueppelberg, D. I. Pinon, M. A. Pfenning, S. P. Powers, and L. J. Miller* 321

Evidence that insulin-like growth factor I increases renal plasma flow and glomerular filtration rate in fasted rats. *R. Hirschberg and J. D. Kopple* 326

Interleukin 1 inhibits contraction of vascular smooth muscle. *D. Beasley, R. A. Cohen, and N. G. Levinsky* . . 331

Mesangial cell, glomerular and renal vascular responses to endothelin in the rat kidney. Elucidation of signal transduction pathways. *K. F. Badr, J. J. Murray, M. D. Breyer, K. Takahashi, T. Inagami, and R. C. Harris* . . . 336

Alternative splicing of human glucose-6-phosphate dehydrogenase messenger RNA in different tissues. *A. Hirono and E. Beutler* 343

January Author Index 347

Correction 349

Contents

The Journal of Clinical Investigation
February 1989, Volume 83, Number 2

Perspectives

Function and heterogeneity of human Fc receptors for immunoglobulin G. *J. C. Unkeless* 355

Regular Articles

Prosomatostatin-derived antrin is present in gastric D cells and in portal blood. *M. Ravazzola, R. Benoit, N. Ling, and L. Orci* 362

Inhibition of gastrin gene expression by somatostatin. *P. S. Karnik, S. J. Monahan, and M. M. Wolfe* 367

Effects of parathyroid hormone on cytosolic free calcium concentration in individual rabbit connecting tubules. *J. E. Bourdeau and K. Lau* 373

Redirection of prostaglandin endoperoxide metabolism at the platelet–vascular interface in man. *J. Nowak and G. A. FitzGerald* 380

Intracellular pH during "chemical hypoxia" in cultured rat hepatocytes. Protection by intracellular acidosis against the onset of cell death. *G. J. Gores, A.-L. Nieminen, B. E. Wray, B. Herman, and J. J. Lemasters* 386

Interaction of *Neisseria gonorrhoeae* with classical complement components, C1-inhibitor, and a monoclonal antibody directed against the Neisserial H.8 antigen. *J. E. Schweinle, P. J. Hitchcock, A. J. Tenner, C. H. Hammer, M. M. Frank, and K. A. Joiner* 397

Differing erythrocyte membrane skeletal protein defects in alpha and beta thalassemia. *E. Shinar, E. A. Rachmilewitz, and S. E. Lux* 404

Hepatic oleate uptake. Electrochemical driving forces in intact rat liver. *R. A. Weisiger, J. G. Fitz, and B. F. Scharschmidt* 411

Expression of class I and class II major histocompatibility antigens on human hepatocellular carcinoma. *C.-H. Sung, C.-p. Hu, H.-C. Hsu, A.-K. Ng, C.-K. Chou, L.-P. Ting, T.-S. Su, S.-H. Han, and C. Chang* 421

Cachectin/tumor necrosis factor-α formation in human decidua. Potential role of cytokines in infection-induced preterm labor. *M. L. Casey, S. M. Cox, B. Beutler, L. Milewich, and P. C. MacDonald* 430

Mechanism of mitogen-induced stimulation of glucose transport in human peripheral blood mononuclear cells. Evidence of an intracellular reserve pool of glucose carriers and their recruitment. *D. B. Jacobs, T.-P. Lee, C. Y. Jung, and B. K. Mookerjee* 437

Interleukin 1 and tumor necrosis factor stimulate human vascular endothelial cells to promote transendothelial neutrophil passage. *R. Moser, B. Schleiffenbaum, P. Groscurth, and J. Fehr* 444

Developmental changes in the relation between phosphate metabolites and oxygen consumption in the sheep heart in vivo. *M. A. Portman, F. W. Heineman, and R. S. Balaban* 456

Cardiovascular effects of acute hypercholesterolemia in rabbits. Reversal with lovastatin treatment. *J. A. Osborne, P. H. Lento, M. R. Siegfried, G. L. Stahl, B. Fusman, and A. M. Lefer* 465

Effects of acute ischemia in the dog on myocardial blood flow, beta receptors, and adenylate cyclase activity with and without chronic beta blockade. *J. S. Karliner, M. B. Stevens, N. Honbo, and J. I. E. Hoffman* 474

Dissociation of natriuresis and diuresis and heterogeneity of the effector system of atrial natriuretic factor in rats. *R. C. Willenbrock, J. Tremblay, R. Garcia, and P. Hamet* 482

Role of keratinocytes in human recurrent herpetic lesions. Ability to present herpes simplex virus antigen and act as targets for T lymphocyte cytotoxicity in vitro. *A. L. Cunningham and J. R. Noble* 491

Identification of a point mutation resulting in a heat-labile adenosine deaminase (ADA) in two unrelated children with partial ADA deficiency. *R. Hirschhorn, S. Tzall, A. Ellenbogen, and S. H. Orkin* 497

Decreased sensitivity to artesunate and chloroquine of *Plasmodium falciparum* infecting hemoglobin H and/or hemoglobin Constant Spring erythrocytes. *Y. Yuthavong, P. Butthep, A. Bunyaratvej, and S. Fucharoen* 502

Human T cell responses to dengue virus antigens. Proliferative responses and interferon gamma production. *I. Kurane, B. L. Innis, A. Nisalak, C. Hoke, S. Nimmannitya, A. Meager, and F. A. Ennis* 506

Selective defect in myeloid cell lactoferrin gene expression in neutrophil specific granule deficiency. *K. J. Lomax, J. I. Gallin, D. Rotrosen, G. D. Raphael, M. A. Kaliner, E. J. Benz, Jr., L. A. Boxer, and H. L. Malech* 514

Precision and reproducibility of quantitative coronary angiography with applications to controlled clinical trials. A sampling study. *R. H. Selzer, C. Hagerty, S. P. Azen, M. Siebes, P. Lee, A. Shircore, and D. H. Blankenhorn* . . . 520

Rearrangements and point mutations of P450c21 genes are distinguished by five restriction endonuclease haplotypes identified by a new probing strategy in 57 families with congenital adrenal hyperplasia. *Y. Morel, J. André, B. Uring-Lambert, G. Hauptmann, H. Bétuel, M. G. Forest, M. David, J. Bertrand, and W. L. Miller* . . 527

Effects of estrogen on circulating "free" and total 1,25-dihydroxyvitamin D and on the parathyroid-vitamin D axis in postmenopausal women. *C. Cheema, B. F. Grant, and R. Marcus* 537

Osteoclast-like cells form in long-term human bone marrow but not in peripheral blood cultures. *N. Takahashi, T. Kukita, B. R. MacDonald, A. Bird, G. R. Mundy, L. M. McManus, M. Miller, A. Boyde, S. J. Jones, and G. D. Roodman* 543

Kinetics of human hemopoietic cells after in vivo administration of granulocyte-macrophage colony-stimulating factor. *M. Aglietta, W. Piacibello, F. Sanavio, A. Stacchini, F. Aprá, M. Schena, C. Mossetti, F. Carnino, F. Caligaris-Cappio, and F. Gavosto* 551

Lipoprotein metabolism influenced by training-induced changes in human skeletal muscle. *B. Kiens and H. Lithell* 558

Quantitative assessment of canalicular bile formation in isolated hepatocyte couplets using microscopic optical planimetry. *A. Gautam, O. C. Ng, M. Strazzabosco, and J. L. Boyer* 565

A lethal variant of osteogenesis imperfecta has a single base mutation that substitutes cysteine for glycine 904 of the α1(I) chain of type I procollagen. The asymptomatic mother has an unidentified mutation producing an overmodified and unstable type I procollagen. *C. D. Constantinou, K. B. Nielsen, and D. J. Prockop* 574

Synovium as a source of interleukin 6 in vitro. Contribution to local and systemic manifestations of arthritis. *P.-A. Guerne, B. L. Zuraw, J. H. Vaughan, D. A. Carson, and M. Lotz* 585

Response of simian virus 40 (SV40)–transformed, cultured human marrow stromal cells to hematopoietic growth factors. *J. Nemunaitis, D. F. Andrews, C. Crittenden, K. Kaushansky, and J. W. Singer* 593

Differential expression of the two human arginase genes in hyperargininemia. Enzymatic, pathologic, and molecular analysis. *W. W. Grody, C. Argyle, R. M. Kern, G. J. Dizikes, E. B. Spector, A. D. Strickland, D. Klein, and S. D. Cederbaum* 602

Replication of the human immunodeficiency virus 1 and impaired differentiation of T cells after in vitro infection of bone marrow immature T cells. *Y. Lunardi-Iskandar, M. T. Nugeyre, V. Georgoulias, F. Barré-Sinoussi, C. Jasmin, and J. C. Chermann* 610

Basolateral membrane Na^+/H^+ antiport, Na^+/base cotransport, and Na^+-independent Cl^-/base exchange in the rabbit S_3 proximal tubule. *I. Kurtz* 616

Clearance of atrial natriuretic factor by lung, liver, and kidney in human subjects and the dog. *A. S. Hollister, R. J. Rodeheffer, F. J. White, J. R. Potts, T. Imada, and T. Inagami* 623

Stimulation of glycosaminoglycan synthesis in cultured human dermal fibroblasts by interleukin 1. Induction of hyaluronic acid synthesis by natural and recombinant interleukin 1s and synthetic interleukin 1β peptide 163–171. *A. E. Postlethwaite, G. N. Smith, Jr., L. B. Lachman, R. O. Endres, H. M. Poppleton, K. A. Hasty, J. M. Seyer, and A. H. Kang* 629

Adherence of neutrophils to cultured human microvascular endothelial cells. Stimulation by chemotactic peptides and lipid mediators and dependence upon the Mac-1, LFA-1, p150,95 glycoprotein family. *M. G. Tonnesen, D. C. Anderson, T. A. Springer, A. Knedler, N. Avdi, and P. M. Henson* 637

Immunohistochemical detection and immunochemical analysis of type II collagen degradation in human normal, rheumatoid, and osteoarthritic articular cartilages and in explants of bovine articular cartilage cultured with interleukin 1. *G. R. Dodge and A. R. Poole* 647

Intracellular and nuclear binding of [^{3}H]dihydrotestosterone in cultured genital skin fibroblasts of patients with severe hypospadias. *H.-U. Schweikert, M. Schlüter, and G. Romalo* 662

Evidence for the role of platelet-activating factor in immune complex vasculitis in the rat. *J. S. Warren, D. M. Mandel, K. J. Johnson, and P. A. Ward* 669

Response of plasma prorenin and active renin to chronic and acute alterations of renin secretion in normal humans. Studies using a direct immunoradiometric assay. *E. B Toffelmire, K. Slater, P. Corvol, J. Menard, and M. Schambelan* 679

Erythromycin breath test as an assay of glucocorticoid-inducible liver cytochromes P-450. Studies in rats and patients. *P. B. Watkins, S. A. Murray, L. G. Winkelman, D. M. Heuman, S. A. Wrighton, and P. S. Guzelian* . . . 688

Autoantibody facilitated cleavage of $C\bar{1}$-inhibitor in autoimmune angioedema. *J. Jackson, R. B. Sim, K. Whaley, and C. Feighery* 698

Rapid Publications

Endothelin stimulates phospholipase C, Na^+/H^+ exchange, *c-fos* expression, and mitogenesis in rat mesangial cells. *M. S. Simonson, S. Wann, P. Mené, G. R. Dubyak, M. Kester, Y. Nakazato, J. R. Sedor, and M. J. Dunn* 708

Common acute lymphoblastic leukemia antigen expressed on leukemia and melanoma cell lines has neutral endopeptidase activity. *C. V. Jongeneel, E. J. Quackenbush, P. Ronco, P. Verroust, S. Carrel, and M. Letarte* 713

Interleukin-1 generates transmembrane signals from phospholipids through novel pathways in cultured rat mesangial cells. *M. Kester, M. S. Simonson, P. Mené, and J. R. Sedor* 718

Interferon-γ directly affects barrier function of cultured intestinal epithelial monolayers. *J. L. Madara and J. Stafford* 724

Cryopreservable neutrophil surrogates. Stored cytoplasts from human polymorphonuclear leukocytes retain chemotactic, phagocytic, and microbicidal function. *S. E. Malawista, G. Van Blaricom, and M. G. Breitenstein* . . 728

Expression of pro-opiomelanocortin gene and quantification of adrenocorticotropic hormone–like immunoreactivity in human normal peripheral mononuclear cells and lymphoid and myeloid malignancies. *R. Buzzetti, L. McLoughlin, P. M. Lavender, A. J. L. Clark, and L. H. Rees* 733

February Author Index 738

Contents

The Journal of Clinical Investigation
March 1989, Volume 83, Number 3

Perspectives

Intracellular traffic of newly synthesized proteins. Current understanding and future prospects. *V. R. Lingappa* . . . 739

Regular Articles

Suppression of experimental autoimmune diseases and prolongation of allograft survival by treatment of animals with low doses of heparins. *O. Lider, E. Baharav, Y. A. Mekori, T. Miller, Y. Naparstek, I. Vlodavsky, and I. R. Cohen* . . . 752

A phosphoprotein of M_r 47,000, defective in autosomal chronic granulomatous disease, copurifies with one of two soluble components required for NADPH:O_2 oxidoreductase activity in human neutrophils. *B. G. J. M. Bolscher, R. van Zwieten, I. M. Kramer, R. S. Weening, A. J. Verhoeven, and D. Roos* . . . 757

Transforming growth factor beta regulates thyroid growth. Role in the pathogenesis of nontoxic goiter. *B. Grubeck-Loebenstein, G. Buchan, R. Sadeghi, M. Kissonerghis, M. Londei, M. Turner, K. Pirich, R. Roka, B. Niederle, H. Kassal, W. Waldhäusl, and M. Feldmann* 764

Peroxisomal bifunctional enzyme deficiency. *P. A. Watkins, W. W. Chen, C. J. Harris, G. Hoefler, S. Hoefler, D. C. Blake, Jr., A. Balfe, R. I. Kelley, A. B. Moser, M. E. Beard, and H. W. Moser* . . . 771

Chronic exercise training protects aged cardiac muscle against hypoxia. *J. Y. Wei, Y.-X. Li, T. Lincoln, W. Grossman, and D. Mendelowitz* . . . 778

Autoimmune T lymphocytes in myasthenia gravis. Determination of target epitopes using T lines and recombinant products of the mouse nicotinic acetylcholine receptor gene. *A. Melms, S. Chrestel, B. C. G. Schalke, H. Wekerle, A. Mauron, M. Ballivet, and T. Barkas* . . . 785

Collagen gene expression by cultured human skin fibroblasts. Abundant steady-state levels of type VI procollagen messenger RNAs. *D. R. Olsen, J. Peltonen, S. Jaakkola, M.-L. Chu, and J. Uitto* . . . 791

Cutaneous xanthoma in association with paraproteinemia in the absence of hyperlipidemia. *K. R. Feingold, G. R. Castro, Y. Ishikawa, P. E. Fielding, and C. J. Fielding* . . 796

Increased fat and skeletal muscle β-adrenergic receptors but unaltered metabolic and hemodynamic sensitivity to epinephrine in vivo in experimental human thyrotoxicosis. *S. B. Liggett, S. D. Shah, and P. E. Cryer* . . . 803

A live avirulent mutant *Legionella pneumophila* vaccine induces protective immunity against lethal aerosol challenge. *S. J. Blander, R. F. Breiman, and M. A. Horwitz* . . . 810

Binding and biological effects of tumor necrosis factor alpha on cultured human neonatal foreskin keratinocytes. *S. Pillai, D. D. Bikle, T. E. Eessalu, B. B. Aggarwal, and P. M. Elias* . . . 816

Spontaneously hypertensive rat vascular smooth muscle cells in culture exhibit increased growth and Na^+/H^+ exchange. *B. C. Berk, G. Vallega, A. J. Muslin, H. M. Gordon, M. Canessa, and R. W. Alexander* . . . 822

A diabetes-susceptible HLA haplotype is best defined by a combination of HLA-DR and -DQ alleles. *M. J. Sheehy, S. J. Scharf, J. R. Rowe, M. H. Neme de Gimenez, L. M. Meske, H. A. Erlich, and B. S. Nepom* . . . 830

Systemic senile amyloidosis. Identification of a new prealbumin (transthyretin) variant in cardiac tissue: immunologic and biochemical similarity to one form of familial amyloidotic polyneuropathy. *P. D. Gorevic, F. C. Prelli, J. Wright, M. Pras, and B. Frangione* . . . 836

Characterization of aldosterone-induced potassium secretion in rat distal colon. *J. H. Sweiry and H. J. Binder* 844

Insulin-like growth factor binding proteins from cultured human fibroblasts. Characterization and hormonal regulation. *C. A. Conover, F. Liu, D. Powell, R. G. Rosenfeld, and R. L. Hintz* . . . 852

Antigen-specific immunosuppression in visceral leishmaniasis is cell mediated. *E. M. Carvalho, O. Bacellar, A. Barral, R. Badaro, and W. D. Johnson, Jr.* . . 860

Macrophage phagocytosis of aging neutrophils in inflammation. Programmed cell death in the neutrophil leads to its recognition by macrophages. *J. S. Savill, A. H. Wyllie, J. E. Henson, M. J. Walport, P. M. Henson, and C. Haslett* . . . 865

Cytokines in chronic inflammatory arthritis. II. Granulocyte-macrophage colony-stimulating factor in rheumatoid synovial effusions. *W. d. Xu, G. S. Firestein, R. Taetle, K. Kaushansky, and N. J. Zvaifler* . . . 876

Purification of a distinct placental lactogen receptor, a new member of the growth hormone/prolactin receptor family. *M. Freemark and M. Comer* . . . 883

Mechanisms of adaptation to chronic respiratory acidosis in the rabbit proximal tubule. *R. Krapf* . . . 890

Molybdenum cofactor biosynthesis in humans. Identification of two complementation groups of cofactor-deficient patients and preliminary characterization of a diffusible molybdopterin precursor. *J. L. Johnson, M. M. Wuebbens, R. Mandell, and V. E. Shih* . . . 897

Characterization of membrane homing receptors in two cloned murine hemopoietic progenitor cell lines. *T. Matsuoka, C. Hardy, and M. Tavassoli* . . . 904

Antiidiotypic antibody vaccine in murine *Schistosomiasis mansoni* comprising the internal image of antigen. *T. F. Kresina and G. R. Olds* . . . 912

Constitutive production of macrophage colony-stimulating factor by human ovarian and breast cancer cell lines. *S. Ramakrishnan, F. J. Xu, S. J. Brandt, J. E. Niedel, R. C. Bast, Jr., and E. L. Brown* . . . 921

Prophylaxis of early ventricular fibrillation by inhibition of acylcarnitine accumulation. *P. B. Corr, M. H. Creer, K. A. Yamada, J. E. Saffitz, and B. E. Sobel* . . . 927

Induction of excessive B cell proliferation and differentiation by an in vitro stimulus in culture in human systemic lupus erythematosus. *N. Suzuki and T. Sakane* 937

Effects of acetazolamide on Na^+-HCO_3^- cotransport in basolateral membrane vesicles isolated from rabbit renal cortex. *M. Soleimani and P. S. Aronson* . . . 945

Electrophysiologic characteristics of sudden QRS axis deviation during orthodromic tachycardia. Role of functional fascicular block in localization of accessory pathway. *M. R. Jazayeri, J. Caceres, P. Tchou, R. Mahmud, S. Denker, and M. Akhtar* 952

Functional effects on glomerular hemodynamics of short-term chronic cyclosporine in male rats. *S. C. Thomson, B. J. Tucker, F. Gabbai, and R. C. Blantz* 960

Bacterial lipopolysaccharides prime human neutrophils for enhanced production of leukotriene B_4. *M. E. Doerfler, R. L. Danner, J. H. Shelhamer, and J. E. Parrillo* 970

Antigenic polymorphism of human very late activation protein-2 (platelet glycoprotein Ia-IIa). Platelet alloantigen Hc^a. *V. L. Woods, Jr., K. D. Pischel, E. D. Avery, and H. G. Bluestein* 978

Atrial natriuretic factor in chronic obstructive lung disease with pulmonary hypertension. Physiological correlates and response to peptide infusion. *S. Adnot, P. Andrivet, P. E. Chabrier, J. Piquet, P. Plas, P. Braquet, F. Roudot-Thoraval, and C. Brun-Buisson* 986

Chinese hamster ovary cell adhesion to human platelet thrombospondin is dependent on cell surface heparan sulfate proteoglycan. *P. R. Kaesberg, W. B. Ershler, J. D. Esko, and D. F. Mosher* 994

Expression in systemic lupus erythematosus of an idiotype common to DNA-binding and nonbinding monoclonal antibodies produced by normal human lymphoid cells. *E. Cairns, H. Massicotte, and D. A. Bell* 1002

Induction of resistance to *Schistosoma mansoni* infection in mice by purified parasite paramyosin. *T. P. Flanigan, C. H. King, R. R. Lett, J. Nanduri, and A. A. F. Mahmoud* 1010

A role for apolipoprotein E, apolipoprotein A-I, and low density lipoprotein receptors in cholesterol transport during regeneration and remyelination of the rat sciatic nerve. *J. K. Boyles, C. D. Zoellner, L. J. Anderson, L. M. Kosik, R. E. Pitas, K. H. Weisgraber, D. Y. Hui, R. W. Mahley, P. J. Gebicke-Haerter, M. J. Ignatius, and E. M. Shooter* 1015

Globin gene expression in erythroid human fetal liver cells. *T. J. Ley, K. A. Maloney, J. I. Gordon, and A. L. Schwartz* 1032

Stimulus-induced critical point. Mechanism for electrical initiation of reentry in normal canine myocardium. *D. W. Frazier, P. D. Wolf, J. M. Wharton, A. S. L. Tang, W. M. Smith, and R. E. Ideker* 1039

Rapid Publications

Hypocalcemia increases and hypercalcemia decreases the steady-state level of parathyroid hormone messenger RNA in the rat. *M. Yamamoto, T. Igarashi, M. Muramatsu, M. Fukagawa, T. Motokura, and E. Ogata* 1053

Native and a synthetic analogue of the malignancy-associated parathyroid hormone-like protein have in vitro transforming growth factor-like properties. *K. L. Insogna, A. F. Stewart, C. A. Morris, L. M. Hough, L. M. Milstone, and M. Centrella* 1057

Stretch-induced atriopeptin secretion in the isolated rat myocyte and its negative modulation by calcium. *J. E. Greenwald, M. Apkon, K. A. Hruska, and P. Needleman* 1061

Major antigen of liver kidney microsomal antoantibodies in idiopathic autoimmune hepatitis is cytochrome P450db1. *M. P. Manns, E. F. Johnson, K. J. Griffin, E. M. Tan, and K. F. Sullivan* 1066

Relationship between whole plasma calcitonin levels, calcitonin secretory capacity, and plasma levels of estrone in healthy women and postmenopausal osteoporotics. *J. Y. Reginster, R. Deroisy, A. Albert, D. Denis, M. P. Lecart, J. Collette, and P. Franchimont* 1073

α-Adrenergic receptor stimulation of sarcomeric actin isogene transcription in hypertrophy of cultured rat heart muscle cells. *C. S. Long, C. P. Ordahl, and P. C. Simpson* 1078

March Author Index 1083

Retraction 1085

Correction 1087

Contents

The Journal of Clinical Investigation
April 1989, Volume 83, Number 4

Perspectives

Loosening tight junctions. Lessons from the intestine. *J. L. Madara* 1089

Regular Articles

Type III hyperlipoproteinemia associated with apolipoprotein E phenotype E3/3. Structure and genetics of an apolipoprotein E3 variant. *S. C. Rall, Jr., Y. M. Newhouse, H. R. G. Clarke, K. H. Weisgraber, B. J. McCarthy, R. W. Mahley, and T. P. Bersot* 1095

Molecular cloning and characterization of a Ca^{2+} + Mg^{2+}-dependent adenosine triphosphatase from rat cardiac sarcoplasmic reticulum. Regulation of its expression by pressure overload and developmental stage. *I. Komuro, M. Kurabayashi, Y. Shibazaki, F. Takaku, and Y. Yazaki* 1102

Primer-mediated enzymatic amplification of cytomegalovirus (CMV) DNA. Application to the early diagnosis of CMV infection in marrow transplant recipients. *S. A. Cassol, M.-C. Poon, R. Pal, M. J. Naylor, J. Culver-James, T. J. Bowen, J. A. Russell, S. A. Krawetz, R. T. Pon, and D. I. Hoar* 1109

Effect of tumor necrosis factor (TNF) on lipid metabolism in the diabetic rat. Evidence that inhibition of adipose tissue lipoprotein lipase activity is not required for TNF-induced hyperlipidemia. *K. R. Feingold, M. Soued, I. Staprans, L. A. Gavin, M. E. Donahue, B.-J. Huang, A. H. Moser, R. Gulli, and C. Grunfeld* 1116

Disruption of the subendothelial basement membrane during neutrophil diapedesis in an in vitro construct of a blood vessel wall. *A. R. Huber and S. J. Weiss* 1122

A novel mechanism for the generation of superoxide anions in hematoporphyrin derivative–mediated cutaneous photosensitization. Activation of the xanthine oxidase pathway. *M. Athar, C. A. Elmets, D. R. Bickers, and H. Mukhtar* 1137

α1-Antitrypsin deficiency caused by the α1-antitrypsin $Null_{mattawa}$ gene. An insertion mutation rendering the α1-antitrypsin gene incapable of producing α1-antitrypsin. *D. Curiel, M. Brantly, E. Curiel, L. Stier, and R. G. Crystal* 1144

Inhibition of prostaglandin synthesis after metabolism of menadione by cultured porcine endothelial cells. *A. Barchowsky, K. Tabrizi, R. S. Kent, and A. R. Whorton* 1153

Transforming growth factor-β. Murine glomerular receptors and responses of isolated glomerular cells. *K. MacKay, L. J. Striker, J. W. Stauffer, T. Doi, L. Y. Agodoa, and G. E. Striker* 1160

Influence of body fat distribution on free fatty acid metabolism in obesity. *M. D. Jensen, M. W. Haymond, R. A. Rizza, P. E. Cryer, and J. M. Miles* 1168

Immune interferon inhibits proliferation and induces 2'-5'-oligoadenylate synthetase gene expression in human vascular smooth muscle cells. *S. J. C. Warner, G. B. Friedman, and P. Libby* 1174

Accumulation of PiZ α_1-antitrypsin causes liver damage in transgenic mice. *J. A. Carlson, B. B. Rogers, R. N. Sifers, M. J. Finegold, S. M. Clift, F. J. DeMayo, D. W. Bullock, and S. L. C. Woo* 1183

Regulation of messenger RNAs for the hydrophobic surfactant proteins in human lung. *H. G. Liley, R. T. White, R. G. Warr, B. J. Benson, S. Hawgood, and P. L. Ballard* 1191

Lymphocyte proliferative responses to human immunodeficiency virus antigens in vitro. *J. F. Krowka, D. P. Stites, S. Jain, K. S. Steimer, C. George-Nascimento, A. Gyenes, P. J. Barr, H. Hollander, A. R. Moss, J. M. Homsy, J. A. Levy, and D. I. Abrams* . . . 1198

Purification and further characterization of human mononuclear cell histamine-releasing factor. *M. L. Baeza, S. Reddigari, M. Haak-Frendscho, and A. P. Kaplan* 1204

Downregulation of the male-specific hepatic microsomal steroid 16α-hydroxylase, cytochrome $P\text{-}450_{UT\text{-}A}$, in rats with portal bypass. Relevance to estradiol accumulation and impaired drug metabolism in hepatic cirrhosis. *E. Cantrill, M. Murray, I. Mehta, and G. C. Farrell* . . . 1211

Neuropeptide-Y. A peptide found in human coronary arteries constricts primarily small coronary arteries to produce myocardial ischemia in dogs. *M. F. Maturi, R. Greene, E. Speir, C. Burrus, L. M. A. Dorsey, D. R. Markle, M. Maxwell, W. Schmidt, S. R. Goldstein, and R. E. Patterson* 1217

Rat hepatocytes exhibit basolateral Na^+/HCO_3^- cotransport. *E. L. Renner, J. R. Lake, B. F. Scharschmidt, B. Zimmerli, and P. J. Meier* 1225

Functional defect in neutrophil cytosols from two patients with autosomal recessive cytochrome-positive chronic granulomatous disease. *J. T. Curnutte, P. J. Scott, and B. M. Babior* 1236

Rat lung Cu,Zn superoxide dismutase. Isolation and sequence of a full-length cDNA and studies of enzyme induction. *M. A. Hass, J. Iqbal, L. B. Clerch, L. Frank, and D. Massaro* 1241

Effects of chronic ethanol feeding on rat hepatocytic glutathione. Relationship of cytosolic glutathione to efflux and mitochondrial sequestration. *J. C. Fernandez-Checa, M. Ookhtens, and N. Kaplowitz* 1247

Requirement for T cells and effect of lymphokines in successful chemotherapy for an intracellular infection. Experimental visceral leishmaniasis. *H. W. Murray, M. J. Oca, A. M. Granger, and R. D. Schreiber* 1253

Murine mucopolysaccharidosis type VII. Characterization of a mouse with β-glucuronidase deficiency. *E. H. Birkenmeier, M. T. Davisson, W. G. Beamer, R. E. Ganschow, C. A. Vogler, B. Gwynn, K. A. Lyford, L. M. Maltais, and C. J. Wawrzyniak* 1258

Anchorage-independent growth of synoviocytes from arthritic and normal joints. Stimulation by exogenous platelet-derived growth factor and inhibition by transforming growth factor-beta and retinoids. *R. Lafyatis, E. F. Remmers, A. B. Roberts, D. E. Yocum, M. B. Sporn, and R. L. Wilder* 1267

Rearrangement of variable region T cell receptor γ genes in acute lymphoblastic leukemia. Vγ gene usage differs in mature and immature T cells. *J. Hara, S. H. Benedict, K. Yumura, K. Ha-Kawa, and E. W. Gelfand* 1277

Isolation and characterization of a cDNA clone encoding the 60-kD component of the human SS-A/Ro ribonucleoprotein autoantigen. *E. Ben-Chetrit, B. J. Gandy, E. M. Tan, and K. F. Sullivan* 1284

Heterogeneity of the Ro/SSA antigen. Different molecular forms in lymphocytes and red blood cells. *M. D. Rader, C. O'Brien, Y. Liu, J. B. Harley, and M. Reichlin* 1293

Human myeloid plasma membrane glycoprotein CD13 (gp150) is identical to aminopeptidase N. *A. T. Look, R. A. Ashmun, L. H. Shapiro, and S. C. Peiper* 1299

Granulocyte-macrophage colony-stimulating factor induces cytokine secretion by human polymorphonuclear leukocytes. *A. Lindemann, D. Riedel, W. Oster, H. W. L. Ziegler-Heitbrock, R. Mertelsmann, and F. Herrmann* 1308

Changes in the metabolic clearance of vasopressin and in plasma vasopressinase throughout human pregnancy. *J. M. Davison, E. A. Sheills, W. M. Barron, A. G. Robinson, and M. D. Lindheimer* 1313

Hepatic adenosine triphosphate-dependent Ca^{2+} transport is mediated by distinct carriers on rat basolateral and canalicular membranes. *B. L. Blitzer, B. R. Hostetler, and K. A. Scott* 1319

Role of reactive oxygen species in reperfusion injury of the rabbit lung. *T. P. Kennedy, N. V. Rao, C. Hopkins, L. Pennington, E. Tolley, and J. R. Hoidal* 1326

Metabolism of procainamide to the cytotoxic hydroxylamine by neutrophils activated in vitro. *R. L. Rubin and J. T. Curnutte* 1336

Sequence of the variant thyroxine-binding globulin of Australian Aborigines. Only one of two amino acid replacements is responsible for its altered properties. *K. Takeda, Y. Mori, S. Sobieszczyk, H. Seo, M. Dick, F. Watson, I. L. Flink, S. Seino, G. I. Bell, and S. Refetoff* 1344

Parathyroid hormone suppression by intravenous 1,25-dihydroxyvitamin D. A role for increased sensitivity to calcium. *J. A. Delmez, C. Tindira, P. Grooms, A. Dusso, D. W. Windus, and E. Slatopolsky* 1349

Increased polyamines may downregulate interleukin 2 production in rheumatoid arthritis. *E. Flescher, T. L. Bowlin, A. Ballester, R. Houk, and N. Talal* 1356

Lipolytic surface remnants of triglyceride-rich lipoproteins are cytotoxic to macrophages but not in the presence of high density lipoprotein. A possible mechanism of atherogenesis? *B. H. Chung, J. P. Segrest, K. Smith, F. M. Griffin, and C. G. Brouillette* 1363

Role of mast cells in anaphylaxis. Evidence for the importance of mast cells in the cardiopulmonary alterations and death induced by anti-IgE in mice. *T. R. Martin, S. J. Galli, I. M. Katona, and J. M. Drazen* . . 1375

Control of glomerular hypertension by insulin administration in diabetic rats. *J. W. Scholey and T. W. Meyer* 1384

Fabry disease: six gene rearrangements and an exonic point mutation in the α-galactosidase gene. *H. S. Bernstein, D. F. Bishop, K. H. Astrin, R. Kornreich, C. M. Eng, H. Sakuraba, and R. J. Desnick* 1390

Rapid Publications

Nonrandom X chromosome DNA methylation patterns in hemophiliac females. *P. D. Nisen and P. G. Waber* 1400

Growth factor expression in aorta of normotensive and hypertensive rats. *R. Sarzani, P. Brecher, and A. V. Chobanian* 1404

Enhanced inositol trisphosphate response to α_1-adrenergic stimulation in cardiac myocytes exposed to hypoxia. *G. P. Heathers, A. S. Evers, and P. B. Corr* . . 1409

Abnormal responses of myeloid progenitor cells to granulocyte-macrophage colony-stimulating factor in human cyclic neutropenia. *D. G. Wright, V. F. LaRussa, A. J. Salvado, and R. D. Knight* 1414

Induction of platelet-derived growth factor A-chain and c-*myc* gene expressions by angiotensin II in cultured rat vascular smooth muscle cells. *A. J. Naftilan, R. E. Pratt, and V. J. Dzau* 1419

Evidence for both a regulatory mutation and a structural mutation in a family with maple syrup urine disease. *B. Zhang, H. J. Edenberg, D. W. Crabb, and R. A. Harris* 1425

Common epitope in human immunodeficiency virus (HIV) I-GP41 and HLA class II elicits immunosuppressive autoantibodies capable of contributing to immune dysfunction in HIV I-infected individuals. *H. Golding, G. M. Shearer, K. Hillman, P. Lucas, J. Manischewitz, R. A. Zajac, M. M. Clerici, R. E. Gress, R. N. Boswell, and B. Golding* 1430

Prostaglandin E_2 selectively increases interferon gamma receptor expression on human $CD8^+$ lymphocytes. *M. N. ElMasry and R. R. Rich* 1436

April Author Index 1441

Contents

The Journal of Clinical Investigation
May 1989, Volume 83, Number 5

Perspectives

Pemphigus and pemphigoid as paradigms of organ-specific, autoantibody-mediated diseases. *J. R. Stanley* 1443

Regular Articles

Ablation of human colon carcinoma in nude mice by ^{131}I-labeled monoclonal anti–carcinoembryonic antigen antibody F(ab')$_2$ fragments. *F. Buchegger, C. Pfister, K. Fournier, F. Prevel, M. Schreyer, S. Carrel, and J.-P. Mach* 1449

Interferon gamma-activated human monocytes downregulate transferrin receptors and inhibit the intracellular multiplication of *Legionella pneumophila* by limiting the availability of iron. *T. F. Byrd and M. A. Horwitz* 1457

Ca^{2+}-activated K^+ efflux limits complement-mediated lysis of human erythrocytes. *J. A. Halperin, C. Brugnara, and A. Nicholson-Weller* 1466

Epidemiologic evidence for the development of serovar-specific immunity after gonococcal infection. *F. A. Plummer, J. N. Simonsen, H. Chubb, L. Slaney, J. Kimata, M. Bosire, J. O. Ndinya-Achola, and E. N. Ngugi* 1472

Inhibition of human megakaryocytopoiesis in vitro by platelet factor 4 (PF4) and a synthetic COOH-terminal PF4 peptide. *A. M. Gewirtz, B. Calabretta, B. Rucinski, S. Niewiarowski, and W. Y. Xu* 1477

Cardiac beta myosin heavy chain diversity in normal and chronically hypertensive baboons. *R. D. Henkel, J. L. VandeBerg, R. E. Shade, J. J. Leger, and R. A. Walsh* 1487

Physiologic regulation of the serum concentration of 1,25-dihydroxyvitamin D by phosphorus in normal men. *A. A. Portale, B. P. Halloran, and R. C. Morris, Jr.* . . . 1494

Lung is an important source of atrial natriuretic factor in experimental cardiomyopathy. *J. Gutkowska, M. Nemer, M. J. Sole, J. Drouin, and P. Sirois* 1500

Effects of interferon-γ on expression of cell surface receptors for collagen and deposition of newly synthesized collagen by cultured human lung fibroblasts. *J. G. Clark, T. F. Dedon, E. A. Wayner, and W. G. Carter* 1505

Interleukin 6 gene expression in normal and neoplastic B cells. *G. J. Freeman, A. S. Freedman, S. N. Rabinowe, J. M. Segil, J. Horowitz, K. Rosen, J. F. Whitman, and L. M. Nadler* 1512

Cutaneous late-phase response to allergen. Mediator release and inflammatory cell infiltration. *E. N. Charlesworth, A. F. Hood, N. A. Soter, A. Kagey-Sobotka, P. S. Norman, and L. M. Lichtenstein* 1519

Transpleural gradient of 1,25-dihydroxyvitamin D in tuberculous pleuritis. *P. F. Barnes, R. L. Modlin, D. D. Bikle, and J. S. Adams* 1527

Dipeptidylpeptidase IV and trypsin-like enzymatic degradation of human growth hormone–releasing hormone in plasma. *L. A. Frohman, T. R. Downs, E. P. Heimer, and A. M. Felix* 1533

Effects of cholecystectomy on the kinetics of primary and secondary bile acids. *F. Berr, F. Stellaard, E. Pratschke, and G. Paumgartner* 1541

Time course of appearance and disappearance of human mast cell tryptase in the circulation after anaphylaxis. *L. B. Schwartz, J. W. Yunginger, J. Miller, R. Bokhari, and D. Dull* 1551

Pattern of cutaneous immunoglobulin G deposition in subacute cutaneous lupus erythematosus is reproduced by infusing purified anti–Ro (SSA) autoantibodies into human skin-grafted mice. *L. A. Lee, K. K. Gaither, S. N. Coulter, D. A. Norris, and J. B. Harley* 1556

Regional atrial blood flow in dogs. Effect of hypertrophy on coronary flow reserve. *R. P. Bauman, J. C. Rembert, and J. C. Greenfield, Jr.* 1563

Tumor necrosis factor and immune interferon synergistically induce cytochrome b_{-245} heavy-chain gene expression and nicotinamide-adenine dinucleotide phosphate hydrogenase oxidase in human leukemic myeloid cells. *M. A. Cassatella, L. Hartman, B. Perussia, and G. Trinchieri* 1570

Circulating prosomatostatin-derived peptides. Differential responses to food ingestion. *J. W. Ensinck, E. C. Laschansky, R. E. Vogel, D. A. Simonowitz, B. A. Roos, and B. H. Francis* 1580

A γ methionine-310 to threonine substitution and consequent *N*-glycosylation at γ asparagine-308 identified in a congenital dysfibrinogenemia associated with posttraumatic bleeding, fibrinogen Asahi. *K. Yamazumi, K. Shimura, S. Terukina, N. Takahashi, and M. Matsuda* 1590

Molecular basis for congenital deficiency of α_2-plasmin inhibitor. A frameshift mutation leading to elongation of the deduced amino acid sequence. *O. Miura, S. Hirosawa, A. Kato, and N. Aoki* 1598

Molecular cloning and nucleotide sequence of complementary DNAs encoding human short chain acyl-coenzyme A dehydrogenase and the study of the molecular basis of human short chain acyl-coenzyme A dehydrogenase deficiency. *E. Naito, H. Ozasa, Y. Ikeda, and K. Tanaka* 1605

Infusion of tumor necrosis factor/cachectin promotes muscle catabolism in the rat. A synergistic effect with interleukin 1. *E. A. Flores, B. R. Bistrian, J. J. Pomposelli, C. A. Dinarello, G. L. Blackburn, and N. W. Istfan* 1614

A low-protein diet restricts albumin synthesis in nephrotic rats. *G. A. Kaysen, H. Jones, Jr., V. Martin, and F. N. Hutchison* 1623

Human mast cell carboxypeptidase. Purification and characterization. *S. M. Goldstein, C. E. Kaempfer, J. T. Kealey, and B. U. Wintroub* 1630

Characterization of MB creatine kinase isoform conversion in vitro and in vivo in dogs. *J. J. Billadello, H. L. Fontanet, A. W. Strauss, and D. R. Abendschein* 1637

Aluminum-induced de novo bone formation in the beagle. A parathyroid hormone-dependent event. *L. D. Quarles, H. J. Gitelman, and M. K. Drezner* 1644

Extracellular adenosine triphosphate activates calcium mobilization in human phagocytic leukocytes and neutrophil/monocyte progenitor cells. *D. S. Cowen, H. M. Lazarus, S. B. Shurin, S. E. Stoll, and G. R. Dubyak* 1651

Correlation of fibrosis and transforming growth factor-β type 2 levels in the eye. *T. B. Connor, Jr., A. B. Roberts, M. B. Sporn, D. Danielpour, L. L. Dart, R. G. Michels, S. de Bustros, C. Enger, H. Kato, M. Lansing, H. Hayashi, and B. M. Glaser* 1661

Protein kinase C is activated in glomeruli from streptozotocin diabetic rats. Possible mediation by glucose. *P. A. Craven and F. R. DeRubertis* 1667

Characterization of polymorphic forms of Fc receptor III on human neutrophils. *P. A. Ory, I. M. Goldstein, E. E. Kwoh, and S. B. Clarkson* 1676

Impaired oxygen utilization. A new mechanism for the hepatotoxicity of ethanol in sub-human primates. *C. S. Lieber, E. Baraona, R. Hernandez-Muñoz, S. Kubota, N. Sato, S. Kawano, T. Matsumura, and N. Inatomi* . . . 1682

Recombinant interferon-gamma primes alveolar macrophages cultured in vitro for the release of leukotriene B_4 in response to IgG stimulation. *J. A. Rankin, C. E. Schrader, S. M. Smith, and R. A. Lewis* 1691

Human colony-forming units-erythroid do not require accessory cells, but do require direct interaction with insulin-like growth factor I and/or insulin for erythroid development. *K. Sawada, S. B. Krantz, E. N. Dessypris, S. T. Koury, and S. T. Sawyer* 1701

Presence of a non-HLA B cell antigen in rheumatic fever patients and their families as defined by a monoclonal antibody. *A. K. Khanna, D. R. Buskirk, R. C. Williams, Jr., A. Gibofsky, M. K. Crow, A. Menon, M. Fotino, H. M. Reid, T. Poon-King, P. Rubinstein, and J. B. Zabriskie* 1710

Acute effects of insulin-like growth factor I on glucose and amino acid metabolism in the awake fasted rat. Comparison with insulin. *R. Jacob, E. Barrett, G. Plewe, K. D. Fagin, and R. S. Sherwin* 1717

Sodium channels from human brain RNA expressed in *Xenopus* oocytes. Basic electrophysiologic characteristics and their modification by diphenylhydantoin. *G. F. Tomaselli, E. Marban, and G. Yellen* 1724

Occupancy of platelet receptors for platelet-activating factor in patients with septicemia. *F. Lopez Diez, M. L. Nieto, S. Fernandez-Gallardo, M. A. Gijon, and M. Sanchez Crespo* 1733

Varying capacities for replication of rat adipocyte precursor clones and adipose tissue growth. *H. Wang, J. L. Kirkland, and C. H. Hollenberg* 1741

Bleeding diathesis due to decreased functional activity of type 1 plasminogen activator inhibitor. *R. R. Schleef, D. L. Higgins, E. Pillemer, and L. J. Levitt* 1747

Rapid Publications

Increases in levels of procollagenase messenger RNA in cultured fibroblasts induced by human recombinant interleukin 1β or serum follow c-*jun* expression and are dependent on new protein synthesis. *W. Conca, P. B. Kaplan, and S. M. Krane* 1753

Specific binding of endothelin on human vascular smooth muscle cells in culture. *M. Clozel, W. Fischli, and C. Guilly* 1758

Glomerular actions of endothelin in vivo. *V. Kon, T. Yoshioka, A. Fogo, and I. Ichikawa* 1762

Differential expression of transforming growth factors α and β in rat intestinal epithelial cells. *S.-y. Koyama and D. K. Podolsky* 1768

Nitric oxide-generating vasodilators and 8-bromo-cyclic guanosine monophosphate inhibit mitogenesis and proliferation of cultured rat vascular smooth muscle cells. *U. C. Garg and A. Hassid* 1774

The human platelet alloantigens, PI^{A1} and PI^{A2}, are associated with a leucine^{33}/proline^{33} amino acid polymorphism in membrane glycoprotein IIIa, and are distinguishable by DNA typing. *P. J. Newman, R. S. Derbes, and R. H. Aster* 1778

May Author Index 1782

Correction 1783

Contents

The Journal of Clinical Investigation
June 1989, Volume 83, Number 6

Perspectives

The electron transport chain of the microbicidal oxidase of phagocytic cells and its involvement in the molecular pathology of chronic granulomatous disease. *A. W. Segal* 1785

Regular Articles

Acquired C1 inhibitor (C1-INH) deficiency type II. Replacement therapy with C1-INH and analysis of patients' C1-INH and anti-C1-INH autoantibodies. *J. Alsenz, J. D. Lambris, K. Bork, and M. Loos* 1794

Effects of exogenous free radicals on electromechanical function and metabolism in isolated rabbit and guinea pig ventricle. Implications for ischemia and reperfusion injury. *J. I. Goldhaber, S. Ji, S. T. Lamp, and J. N. Weiss* 1800

Immune system control of rat and rabbit colonic electrolyte transport. Role of prostaglandins and enteric nervous system. *M. J. Bern, C. W. Sturbaum, S. S. Karayalcin, H. M. Berschneider, J. T. Wachsman, and D. W. Powell* 1810

Protection against nerve toxicity by monoclonal antibodies to the sodium channel blocker tetrodotoxin. *R. I. Huot, D. L. Armstrong, and T. C. Chanh* 1821

Normal human intestinal B lymphocytes. Increased activation compared with peripheral blood. *M. G. Peters, H. Secrist, K. R. Anders, G. S. Nash, S. R. Rich, and R. P. MacDermott* 1827

Production of GAWK (chromogranin-B 420–493)-like immunoreactivity by endocrine tumors and its possible diagnostic value. *K. Sekiya, M. A. Ghatei, M. J. Salahuddin, A. E. Bishop, Q. A. Hamid, H. Ibayashi, J. M. Polak, and S. R. Bloom* 1834

Human immunodeficiency virus infection of helper T cell clones. Early proliferative defects despite intact antigen-specific recognition and interleukin 4 secretion. *J. Laurence, S. M. Friedman, E. K. Chartash, M. K. Crow, and D. N. Posnett* 1843

Failure of postnatal adaptation of the pulmonary circulation after chronic intrauterine pulmonary hypertension in fetal lambs. *S. H. Abman, P. F. Shanley, and F. J. Accurso* 1849

Contributions of cellular leak pathways to net $NaHCO_3$ and NaCl absorption. *P. A. Preisig and R. J. Alpern* . . 1859

Profile of human T cell response to leishmanial antigens. Analysis by immunoblotting. *P. C. Melby, F. A. Neva, and D. L. Sacks* 1868

Relationship between calcium loading and impaired energy metabolism during Na^+, K^+ pump inhibition and metabolic inhibition in cultured neonatal rat cardiac myocytes. *A. C. Morris, H. K. Hagler, J. T. Willerson, and L. M. Buja* 1876

Type I C1 inhibitor deficiency with a small messenger RNA resulting from deletion of one exon. *T. Ariga, T. Igarashi, N. Ramesh, R. Parad, M. Cicardi, and A. E. Davis III* 1888

RNA fingerprinting of respiratory syncytial virus using ribonuclease protection. Application to molecular epidemiology. *G. A. Storch, C. S. Park, and D. E. Dohner* 1894

Identification and regulation of 1,25-dihydroxyvitamin D_3 receptor activity and biosynthesis of 1,25-dihydroxyvitamin D_3. Studies in cultured bovine aortic endothelial cells and human dermal capillaries. *J. Merke, P. Milde, S. Lewicka, U. Hügel, G. Klaus, D. J. Mangelsdorf, M. R. Haussler, E. W. Rauterberg, and E. Ritz* 1903

Modulation of polymorphonuclear leukocyte microbicidal activity and oxidative metabolism by fibrinogen degradation products D and E. *J. W. Kazura, J. D. Wenger, R. A. Salata, A. Z. Budzynski, and G. H. Goldsmith* 1916

17-Beta-estradiol increases mitogenic activity of medium from cultured preadipocytes of massively obese persons. *S. C. Cooper and D. A. K. Roncari* 1925

Inhibition of osteoclast-like cell formation by bisphosphonates in long-term cultures of human bone marrow. *D. E. Hughes, B. R. MacDonald, R. G. G. Russell, and M. Gowen* 1930

Inhibition of O_2^- generation by dexamethasone is mimicked by lipocortin I in alveolar macrophages. *I. Maridonneau-Parini, M. Errasfa, and F. Russo-Marie* 1936

Androgen regulation of rat renal angiotensinogen messenger RNA expression. *K. E. Ellison, J. R. Ingelfinger, M. Pivor, and V. J. Dzau* 1941

Atherosclerosis influences the vasomotor response of epicardial coronary arteries to exercise. *J. B. Gordon, P. Ganz, E. G. Nabel, R. D. Fish, J. Zebede, G. H. Mudge, R. W. Alexander, and A. P. Selwyn* 1946

Elevated intracellular Ca^{2+} acts through protein kinase C to regulate rabbit ileal NaCl absorption. Evidence for sequential control by Ca^{2+}/calmodulin and protein kinase C. *M. Donowitz, M. E. Cohen, M. Gould, and G. W. G. Sharp* 1953

Formyl peptide-induced chemotaxis of human polymorphonuclear leukocytes does not require either marked changes in cytosolic calcium or specific granule discharge. Role of formyl peptide receptor reexpression (or recycling). *H. D. Perez, F. Elfman, S. Marder, E. Lobo, and H. E. Ives* 1963

Clonal analysis of childhood acute lymphoblastic leukemia with "cytogenetically independent" cell populations. *C.-H. Pui, W. H. Raskind, G. R. Kitchingman, S. C. Raimondi, F. G. Behm, S. B. Murphy, W. M. Crist, P. J. Fialkow, and D. L. Williams* 1971

Molecular basis of Factor VIII inhibition by human antibodies. Antibodies that bind to the Factor VIII light chain prevent the interaction of Factor VIII with phospholipid. *M. Arai, D. Scandella, and L. W. Hoyer* 1978

Characterization and histologic localization of human growth hormone-variant gene expression in the placenta. *S. A. Liebhaber, M. Urbanek, J. Ray, R. S. Tuan, and N. E. Cooke* 1985

Identification and characterization of cell–substratum adhesion receptors on cultured human endothelial cells. *S. M. Albelda, M. Daise, E. M. Levine, and C. A. Buck* 1992

Mithramycin blocks protein binding and function of the SV40 early promoter. *R. Ray, R. C. Snyder, S. Thomas, C. A. Koller, and D. M. Miller* 2003

Cooperative interactions of LFA-1 and Mac-1 with intercellular adhesion molecule-1 in facilitating adherence and transendothelial migration of human neutrophils in vitro. *C. W. Smith, S. D. Marlin, R. Rothlein, C. Toman, and D. C. Anderson* 2008

Inhibition of cholesteryl ester transfer protein activity by monoclonal antibody. Effects on cholesteryl ester formation and neutral lipid mass transfer in human plasma. *F. T. Yen, R. J. Deckelbaum, C. J. Mann, Y. L. Marcel, R. W. Milne, and A. R. Tall* 2018

$pp60^{c\text{-}src}$ activation in human colon carcinoma. *C. A. Cartwright, M. P. Kamps, A. I. Meisler, J. M. Pipas, and W. Eckhart* 2025

Molecular cloning and chromosomal mapping of DNA rearranged with the parathyroid hormone gene in a parathyroid adenoma. *A. Arnold, H. G. Kim, R. D. Gaz, R. L. Eddy, Y. Fukushima, M. G. Byers, T. B. Shows, and H. M. Kronenberg* 2034

Role of surface proteins in staphylococcal adherence to fibers in vitro. *A. L. Cheung and V. A. Fischetti* 2041

Guanine nucleotide binding regulatory proteins and adenylate cyclase in livers of streptozotocin- and BB/Wor-diabetic rats. Immunodetection of G_s and G_i with antisera prepared against synthetic peptides. *C. J. Lynch, P. F. Blackmore, E. H. Johnson, R. L. Wange, P. K. Krone, and J. H. Exton* 2050

Effects of polycations on pulmonary vascular permeability in conscious sheep. *T. Toyofuku, S. Koyama, T. Kobayashi, S. Kusama, and G. Ueda* . . . 2063

A gene conversion located 5′ to the $^{A}\gamma$ gene in linkage disequilibrium with the Bantu haplotype in sickle cell anemia. *E. E. Bouhassira, H. Lachman, R. Krishnamoorthy, D. Labie, and R. L. Nagel* 2070

Effect of ultrasound on transdermal drug delivery to rats and guinea pigs. *D. Levy, J. Kost, Y. Meshulam, and R. Langer* 2074

High concentrations of catecholamines in human hypothalamic-hypophysial blood. *R. Paradisi, G. Frank, G. Grossi, S. Venturoli, E. Porcu, M. Capelli, E. Galassi, and C. Flamigni* 2079

Human decidua is a major source of renin. *K. J. Shaw, Y. S. Do, S. Kjos, P. W. Anderson, T. Shinagawa, L. Dubeau, and W. A. Hsueh* 2085

Selective expression of a normal action of the 1,25-dihydroxyvitamin D_3 receptor in human skin fibroblasts with hereditary severe defects in multiple actions of that receptor. *J. Barsony, W. McKoy, D. A. DeGrange, U. A. Liberman, and S. J. Marx* 2093

Gal-Gal pili vaccines prevent pyelonephritis by piliated *Escherichia coli* in a murine model. Single-component Gal-Gal pili vaccines prevent pyelonephritis by homologous and heterologous piliated *E. coli* strains. *B. Pecha, D. Low, and P. O'Hanley* 2102

Characterization of concentration- and use-dependent effects of quinidine from conduction delay and declining conduction velocity in canine Purkinje fibers. *D. L. Packer, A. O. Grant, H. C. Strauss, and C. F. Starmer* 2109

Rapid Publications

Lack of expression of aminoacylase-1 in small cell lung cancer. Evidence for inactivation of genes encoded by chromosome 3p. *Y. E. Miller, J. D. Minna, and A. F. Gazdar* 2120

Intravenous infusion of apolipoprotein E accelerates clearance of plasma lipoproteins in rabbits. *R. W. Mahley, K. H. Weisgraber, M. M. Hussain, B. Greenman, M. Fisher, T. Vogel, and M. Gorecki* . . . 2125

June Author Index 2131

Author Index to Volume 83 2133